

chat room transcript

Found 119 of 238,581

Terms used: [chat room transcript](#)Sort results by [relevance](#) [Save results to a Binder](#)Refine these results with [Advanced Search](#)Display results [expanded form](#) [Open results in a new window](#)Try this search in [The ACM Guide](#)

Results 1 - 20 of 119

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [next](#) [>>](#)

1 Chat circles

Ads by Google

 Fernanda B. Viégas, Judith S. Donath
May 1999 **CHI '99**: Proceedings of the SIGCHI conference on Human factors in computing systems: the CHI is the limit

Publisher: ACMFull text available:  [pdf\(1.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Although current online chat environments provide new opportunities for communication, they are quite constrained in their ability to convey many important pieces of social information, ranging from the number of participants in a conversation to ...

Keywords: Internet, World Wide Web, chatroom, conversation, graphical history, social visualization, turn-taking

Google Apps
Learn how Google's powerful apps can help your business
www.google.com/a

2 What counts as success? punctuated patterns of use in a persistent chat environment

[Convert PDF to Word](#)
PDF to DOC
Format - easy to use! Free Download
- Try it Now
www.verypdf.com

 Christine A. Halverson, Thomas Erickson, Jeremy Sussman
November 2003 **GROUP '03**: Proceedings of the 2003 international ACM SIGGROUP conference on Supporting group work

Publisher: ACMFull text available:  [pdf\(380.67 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

This paper presents a case study of a globally distributed work group's use of an online environment called "Loops." Loops is a web-based persistent chat system whose aim is to support collaboration amongst corporate work groups. We describe the ways ...

[Alpha male pdf?](#)
Meet & Attract Beautiful Women. Never Feel Lonely Again.
ArtOfApproaching.com

Keywords: CMC, CSCW, chat, instant messaging, persistent chat, software development, virtual community

3 Combining Topic Models and Social Networks for Chat Data Mining

[activePDF Toolkit](#)
Create and Manipulate PDF files Merge, stamp, stitch, split & more!
www.activepdf.com

Ville H. Tuulos, Henry Tirri
September 2004 **WI '04**: Proceedings of the 2004 IEEE/WIC/ACM International Conference on Web Intelligence

Publisher: IEEE Computer SocietyFull text available:  [pdf\(149.90 KB\)](#)  [Publisher Site](#) Additional Information: [full citation](#), [abstract](#), [cited by](#)

Informal chat-room conversations have intrinsically different properties from regular static document collections. Noise, concise expressions and dynamic, changing and interleaving nature of discussions make chat data ill-suited for

[user status history instant messenger](#)

Found 69 of 238,273

Terms used: [user status history instant messenger](#)Sort results by relevance  [Save results to a Binder](#)Refine these results with [Advanced Search](#)Display results expanded form Open results in a new window[Try this search in The ACM Guide](#)

Results 1 - 20 of 69

Result page: [1](#) [2](#) [3](#) [4](#) [next](#) [>>](#)

1 [A toolkit for managing user attention in peripheral displays](#)

 Tara Matthews, Anind K. Dey, Jennifer Mankoff, Scott Carter, Tye Rattenbury
October 2004 **UIST '04**: Proceedings of the 17th annual ACM symposium on User interface software and technology

Publisher: ACMFull text available:  [pdf\(1.53 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Traditionally, computer interfaces have been confined to conventional displays and focused activities. However, as displays become embedded throughout our environment and daily lives, increasing numbers of them must operate on the periphery of our attention. ...

Keywords: peripheral displays, toolkits, user attention

2 [Group unified histories an instrument for productive unconstrained co-browsing](#)

 Maria Aneiros, Vladimir Estivill-Castro, Chengzheng Sun
November 2003 **GROUP '03**: Proceedings of the 2003 international ACM SIGGROUP conference on Supporting group work

Publisher: ACMFull text available:  [pdf\(223.25 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

The most common task being performed on the World Wide Web, namely exploring its contents remains an individual rather than a cooperative, shared or partnered activity. We propose that the existing model of collaborative browsing, namely master/slave, ...

Keywords: awareness, collaborative browsing, consistency model, group unified history, unconstrained cooperative browsing

3 [Beyond Instant Messaging](#)

 John C. Tang, James "Bo" Begole
November 2003 **Queue**, Volume 1 Issue 8

Publisher: ACMFull text available:  [pdf\(925.99 KB\)](#)  [html\(35.63 KB\)](#) Additional Information: [full citation](#), [cited by](#), [index terms](#)

4 [Instant messaging on handhelds: an affective gesture approach](#)

A. Kayode Adesemowo, William D. Tucker

[Ads by Google](#)

Document Scanning Service
Free Online Quote.
Scan to PDF/TIF
Serving the DC
Metropolitan Area
[www.ignitedscanning.com](#)

Easy Image Processing
Software
Development
Services - Image Processing and Image Analysis
[www.PhotoProcessing.info](#)

Automated Image Metrology
SIMAGIS Image Analysis Software
Solutions that work.
Learn More!
[www.SmartimTech.com](#)

Fuzzy Search for all DBs
Ultra-fast and powerful search.
For millions of DB-entries.
[www.exorbyte.com](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	196	715/758.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 14:01
L2	150	715/759.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 14:01
L3	224	715/752.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 14:01
L4	49	(L1 L2 L3) and @pd>"20070710"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 14:01
S1	3	"763014".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 06:50
S2	11	("20010025280" "5793365" "5960 173" "5990887" "6349327" "6631 412").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 15:03
S3	2	"7076043".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 15:05
S4	2	"6697840".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 15:05

EAST Search History

S5	40	(instant adj messenger) and (user same (status presence)) same (information message) and (edit\$3 same (user same status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:27
S6	55	(instant adj messenger) and ((time and date) same stamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 15:32
S7	7	S6 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 15:29
S8	33	S5 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 15:32
S9	50	(instant adj messenger) and ((time and date) with stamp\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:27
S10	643	link\$3 with ((web adj page) webpage) same edit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:29
S11	456	((instant adj messenger) (chat with session)) and user adj (status presence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 10:58
S12	8	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 10:58

EAST Search History

S13	302	link\$3 with ((web adj page) webpage) with edit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:29
S14	2	S13 and (instant adj messenger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:31
S15	70	(instant adj messaging) same blog\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:54
S16	50	(instant adj messaging) with blog\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:33
S18	99	blogging	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:54
S19	55	(instant adj messenger) and ((time and date) same stamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:54
S20	0	S18 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:55
S21	10	S18 and (instant adj messenger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:57

EAST Search History

S22	344	715/753.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:57
S23	498	715/751.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:57
S24	155	715/758.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:26
S25	137	715/759.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:27
S26	1445	715/501.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:58
S27	1351	715/530.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:58
S28	172	715/752.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:27
S29	344	715/753.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:58

EAST Search History

S30	8	S22 and S23 and S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 12:58
S33	5	("6564246" "6836891").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 13:29
S34	16	715/758.ccls.and @pd>"20070130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:26
S35	6	715/759.ccls. and @pd>"20070130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:27
S36	26	715/752.ccls. and @pd>"20070130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:27
S37	7	(instant adj messenger) and (user same (status presence)) same (information message) and (edit\$3 same (user same status)) and @pd>"20070130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:27
S38	1	(instant adj messenger) same ((time and date) with stamp\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:29
S39	10	(instant adj messenger) same ((time date) with stamp\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:29

EAST Search History

S40	9	(instant adj (messag\$3 messenger)) and ((user adj status) near2 (history log))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 16:55
S41	85	edit\$3 with user with status with (history log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 16:56
S42	0	record with change with (user adj (status presence awareness visibility)) and ((instant adj messenger) collaboration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 06:52
S43	2	log with change with (user adj (status presence awareness visibility)) and ((instant adj messenger) collaboration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 07:13
S44	2	"7177928".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 07:14
S45	4	"2001086472"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:57
S46	10	"1305727"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 14:57
S47	0	(display\$3 present\$3) with (log history list) with (message status presence) same (instant adj (messagingmessenger))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:27

EAST Search History

S48	0	(display\$3 present\$3) same (log history list) same (message status presence) same (instant adj (messagingmessenger))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:27
S49	43268	(display\$3 present\$3) same (log history list) same (message status presence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:27
S50	14764	(display\$3 present\$3) with (log history list) with (message status presence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:27
S51	2015	(display\$3 present\$3) with (log history list) with (message status presence) and ((instant adj (messenger messaging)) IM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:28
S52	1069	(display\$3 present\$3) with (log history list) with (message status presence) with user and ((instant adj (messenger messaging)) IM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:28
S53	140	(display\$3 present\$3) with (log history list) with (message status presence) with (time date) with user and ((instant adj (messenger messaging)) IM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:29
S54	82	(display\$3 present\$3) with (log history) with (message status presence) with (time date) with user and ((instant adj (messenger messaging)) IM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:36
S55	25	(chat adj room) with transcript	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 15:57